

Safety Data Sheet

according to UK REACH Regulation

BIZOL Gasoline System Clean+ g80

02.02.2021 Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

BIZOL Gasoline System Clean+ q80

Further trade names

UFI: YRF2-T0RD-P00E-E3GU

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Additive

1.3. Details of the supplier of the safety data sheet

Company name: BIZOL Germany GmbH Street: Martin-Buber-Str. 12 Place: D-14163 Berlin

Telephone: +49 (30) 804 869-0 Telefax: +49 (30) 804 869-2860

e-mail: support@bizol.de Internet: www.bizol.com

1.4. Emergency telephone Germany: +49 (30) 804 869-0 (08.00-17.00, Mo-Fr)

number: In England and Wales: NHS Direct: 0845 4647 or 111 In Scotland: NHS 24 -

08454 24 24 24 In Republic of Ireland: 01 809 2166

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Asp. Tox. 1; H304 Skin Sens. 1; H317 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30%) (tetrapropenyl)succinic acid

Signal word: Danger

Pictograms:





Hazard statements

H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P280 Wear protective gloves and eye/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

Special labelling of certain mixtures

EUH066 Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

No further relevant information available.

SECTION 3: Composition/information on ingredients



Safety Data Sheet

according to UK REACH Regulation

BIZOL Gasoline System Clean+ g80

02.02.2021 Page 2 of 9

3.2. Mixtures

Revision date:

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)		•	
	hydrocarbons, C11-C14, n-alkanes	, isoalkanes, cyclics, aror	matics (2-25%)	25 - < 50 %
	925-653-7		01-2119458869-15	
	Asp. Tox. 1, Aquatic Chronic 3; H3	04 H412	•	
	hydrocarbons, C14-C18, n-alkanes	, isoalkanes, cyclics, aror	natics (2-30%)	25 - < 50 %
	920-360-0		01-2119448343-41	
	Asp. Tox. 1; H304 EUH066	•	•	
64742-94-5	solvent naphtha (petroleum), heavy	/ aromatic		5 - < 10 %
	265-198-5	649-424-00-3	01-2119510128-50	
	Skin Irrit. 2, STOT SE 3, Asp. Tox.			
	polyether polyol	5 - < 10 %		
	Aquatic Chronic 3; H412			
	polyolefin alkyl phenol alkyl amine	5 - < 10 %		
	Skin Irrit. 2; H315			
95-63-6	1,2,4-trimethylbenzene	< 2,5 %		
	202-436-9	601-043-00-3	01-2119472135-42	
	Flam. Liq. 3, Acute Tox. 4, Skin Irrit H315 H319 H335 H411			
91-20-3	naphthalene	< 1 %		
	202-049-5	601-052-00-2	01-2119561346-37	
	Carc. 2, Acute Tox. 4, Aquatic Acut			
27859-58-1	(tetrapropenyl)succinic acid		< 0,5 %	
	248-698-8		01-2120752504-57	
	Skin Irrit. 2, Eye Irrit. 2, Skin Sens.			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc.	Limits, M-factors and ATE			
	925-653-7	hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)	25 - < 50 %		
	dermal: LD50	= > 3400 mg/kg; oral: LD50 = > 15000 mg/kg			
	920-360-0	hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30%)	25 - < 50 %		
	inhalation: LC50 = > 5,28 mg/l (dusts or mists); dermal: LD50 = > 2000,0 mg/kg; oral: LD50 = > 4150 mg/kg				
95-63-6	202-436-9	1,2,4-trimethylbenzene	< 2,5 %		
	inhalation: LC 5000 mg/kg	50 = 18 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: LD50 =			
91-20-3	202-049-5	naphthalene	< 1 %		
	inhalation: LC mg/kg	50 = > 110 mg/l (dusts or mists); dermal: LD50 = > 2500 mg/kg; oral: LD50 = 490			

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice. If unconscious but breathing normally, place in recovery position and seek medical advice. Remove contaminated, saturated clothing immediately.

After inhalation

Remove casualty to fresh air and keep warm and at rest.



Safety Data Sheet

according to UK REACH Regulation

BIZOL Gasoline System Clean+ g80

02.02.2021 Page 3 of 9

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Let water be drunken in little sips (dilution effect). Call a physician immediately. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

When in doubt or if symptoms are observed, get medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Extinguishing powder, Carbon dioxide (CO2).

Unsuitable extinguishing media

Full water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products: Carbon monoxide Carbon dioxide (CO2). Do not inhale explosion and combustion gases.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Do not allow to enter into soil/subsoil.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Protective measures: see section 7 + 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Clean contaminated articles and floor according to the environmental legislation.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Protective measures: see section 7 + 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Do not eat, drink or smoke when using this product. Provide fresh air. Handle and open container with care. Conditions to avoid: generation/formation of aerosols.

Advice on protection against fire and explosion

No special measures are necessary.

Advice on general occupational hygiene

When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities



Safety Data Sheet

according to UK REACH Regulation

BIZOL Gasoline System Clean+ g80

02.02.2021 Page 4 of 9

Requirements for storage rooms and vessels

Protect against: Frost. Keep away from heat. Protect from direct sunlight. Keep container tightly closed in a cool, well-ventilated place.

7.3. Specific end use(s)

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
91-20-3	Naphthalene	10	50		TWA (8 h)	EU
95-63-6	Trimethylbenzenes: 1,2,4-Trimethylbenzene	25	125		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
95-63-6	1,2,4-trimethylbenzene					
Worker DNE	L, acute	inhalation	systemic	100 mg/m³		
Worker DNE	EL, acute	inhalation	local	100 mg/m³		
Worker DNEL, long-term		dermal	systemic	16171 mg/kg bw/day		
Worker DNEL, long-term		inhalation	systemic	100 mg/m³		
Consumer DNEL, acute		inhalation	systemic	29,4 mg/m³		
Consumer D	NEL, long-term	inhalation	local	29,4 mg/m³		
Consumer DNEL, long-term		dermal	systemic	9512 mg/kg bw/day		
Consumer D	NEL, long-term	inhalation	systemic	29,4 mg/m³		
Consumer DNEL, long-term		oral	systemic	15 mg/kg bw/day		

PNEC values

CAS No	Substance		
Environmental	Environmental compartment Va		
95-63-6	63-6 1,2,4-trimethylbenzene		
Freshwater 0,12 r		0,12 mg/l	
Marine water		0,12 mg/l	
Freshwater sediment		13,5 mg/kg	
Marine sediment 1:		13,56 mg/kg	

Additional advice on limit values

- a no restriction
- b End of exposure or end of shift
- c at long-term exposure:
- d before next shift
- Y: A risk of reproductive effects needs not to be feared if the occupational exposure limit value (AGW) and the biological limit value (BGW) is kept
- Z: A risk of reproductive effects cannot to be excluded if the occupational exposure limit value (AGW) and the biological limit value (BGW) is kept
- blood (B)
- Urine (U)

8.2. Exposure controls



Safety Data Sheet

according to UK REACH Regulation

BIZOL Gasoline System Clean+ g80

02.02.2021 Page 5 of 9

Appropriate engineering controls

See section 7. No additional measures necessary.

Individual protection measures, such as personal protective equipment

Eye/face protection

Eye glasses with side protection.

Hand protection

Wear suitable gloves. Recommended glove articles: EN ISO 374. Suitable material: PVC (polyvinyl chloride). Breakthrough time:: > 240 min (Thickness of the glove material: 0.8 mm). Breakthrough times and swelling properties of the material must be taken into consideration. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Skin protection

Protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. When splashes or fine mist form, a permitted breathing apparatus suitable for these purposes must be used. Suitable respiratory protection apparatus: Filtering Half-face mask (EN 149), e.g. FFA P / FFP3.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: light yellow
Odour: characteristic

Changes in the physical state

Melting point/freezing point:

not determined

Poiling point or initial boiling point and

> 160 °C

boiling range:

Pour point: not determined Flash point: > 61 °C

Lower explosion limits: not determined Upper explosion limits: not determined Auto-ignition temperature: not determined

Decomposition temperature: No information available.

pH-Value: not applicable Viscosity / dynamic: not determined Viscosity / kinematic: < 20,5 mm²/s

(at 40 °C)

Flow time: not determined

Water solubility: insoluble

Partition coefficient n-octanol/water: not determined

Vapour pressure: not determined

Density (at 20 °C): 0,765 g/cm³

9.2. Other information

Relative vapour density:

Other safety characteristics

Evaporation rate: not determined

Further Information

No information available.

not determined



Safety Data Sheet

according to UK REACH Regulation

BIZOL Gasoline System Clean+ g80

02.02.2021 Page 6 of 9

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

No information available.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No information available.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
	hydrocarbons, C11-C14,	hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)							
	oral	LD50 mg/kg	> 15000	Rat					
	dermal	LD50 mg/kg	> 3400	Rat					
	hydrocarbons, C14-C18,	n-alkanes, i	isoalkanes, c	yclics, aromatics (2-30%)					
	oral								
	dermal	LD50 mg/kg	> 2000,0	Rabbit	ECHA Dossier				
	inhalation (4 h) dust/mist	LC50 mg/l	> 5,28	Rat	ECHA Dossier				
95-63-6	1,2,4-trimethylbenzene								
	oral	LD50 mg/kg	5000	Rat	RTECS				
	inhalation (4 h) vapour	LC50	18 mg/l	Rat	RTECS				
	inhalation dust/mist	ATE	1,5 mg/l						
91-20-3	naphthalene								
	oral	LD50 mg/kg	490	Rat					
	dermal	LD50 mg/kg	> 2500	Rat					
	inhalation (4 h) dust/mist	LC50 mg/l	> 110						

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. ((tetrapropenyl)succinic acid)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.



Safety Data Sheet

according to UK REACH Regulation

BIZOL Gasoline System Clean+ g80

02.02.2021 Page 7 of 9

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Repeated exposure may cause skin dryness or cracking.

Aspiration hazard

May be fatal if swallowed and enters airways.

11.2. Information on other hazards

Other information

Keeping to the general worker's protection rules and the industrial hygienics, there is no risk in handling this product through the personnel.

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
91-20-3	naphthalene						
	Acute fish toxicity	LC50 mg/l	0,51	96 h			
	Acute crustacea toxicity	EC50 mg/l	2,19		Daphnia magna (Big water flea)		

12.2. Persistence and degradability

There are no data available on the mixture itself.

Chemical name						
Method Value d Source						
Evaluation						
hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, a	aromatics (2-25%)					
Biodegradation	74,7%	28				
Readily biodegradable (according to OECD criteria).						
hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, a	aromatics (2-30%)					
OECD 301F/ ISO 9408/ EEC 92/69/V, C.4-D	60,7%	28	ECHA Dossier			
Readily biodegradable (according to OECD criteria).						
	Method Evaluation hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, a Biodegradation Readily biodegradable (according to OECD criteria). hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, a OECD 301F/ ISO 9408/ EEC 92/69/V, C.4-D	Method Value Evaluation hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) Biodegradation 74,7% Readily biodegradable (according to OECD criteria). hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30%) OECD 301F/ ISO 9408/ EEC 92/69/V, C.4-D 60,7%	Method Value d Evaluation hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) Biodegradation 74,7% 28 Readily biodegradable (according to OECD criteria). hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30%) OECD 301F/ ISO 9408/ EEC 92/69/V, C.4-D 60,7% 28			

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
	hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, aromatics (2-30%)	> 3,50
95-63-6	1,2,4-trimethylbenzene	3,63
91-20-3	naphthalene	3,3

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods



Safety Data Sheet

according to UK REACH Regulation

BIZOL Gasoline System Clean+ g80

02.02.2021 Page 8 of 9

Disposal recommendations

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to EC directives 75/442/EEC and 91/689/EEC in the corresponding versions, covering waste and dangerous waste.

List of Wastes Code - residues/unused products

070704 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fine chemicals

and chemical products not otherwise specified; other organic solvents, washing liquids and mother

liquors; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Consult the appropriate local waste disposal expert about waste disposal.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine pollutant: NO

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No data available

14.7. Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

2010/75/EU (VOC): not determined

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,7,8,9,13,14,15.



Safety Data Sheet

according to UK REACH Regulation

BIZOL Gasoline System Clean+ g80

02.02.2021 Page 9 of 9

Abbreviations and acronyms

ADR: Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement concernant le transport international ferroviaire des marchandises dangereuses (Regulations

concerning the International Carriage of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

CAS: Chemical Abstracts Service (a division of the American Chemical Society)

DNEL/DMEL: Derived No-Effect Level / Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration WEL (UK): Workplace Exposure Limits TWA (EC): Time-Weighted Average STEL (EC): Short Term Exposure Limit

ATE: Acute Toxicity Estimate

LD50: Lethal Dose, 50% (median lethal dose)

LC50: Lethal Concentration, 50% (median lethal concentration)

EC50: half maximal Effective Concentration ErC50: EC50 in terms of reduction of growth rate

AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen

Classification for mixtures and used evaluation method according to GB CLP Regulation

<u> </u>				
Classification	Classification procedure			
Asp. Tox. 1; H304	Calculation method			
Skin Sens. 1; H317	Calculation method			
Aquatic Chronic 3; H412	Calculation method			

Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H413	May cause long lasting harmful effects to aquatic life.
EUH066	Repeated exposure may cause skin dryness or cracking.

Further Information

Safety Data Sheet according to COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)